





OMEGA AIR

Alternative filter elements

Suitable for ORION

	DSF	LSF	MSF	KSF
ORION Aluminium end caps				
Particle retention	3 µm	1 µm	0,01 µm	activated carbon
Solids - q. class (ISO 8573-1)	3	2	1	1*
Oils - qual. class (ISO 8573-1)	-	2	1	1
Filter media	acrylic fibres, cellulose	borosilicate micro fibres		activated carbon
Operating temp. range [°C]	1,5 to 65	1,5 to 65	1,5 to 65	1,5 to 45
Diff. pressure (new) [mbar]	20	50	80	60

	DSF		LSF		MSF		KSF	
	ORION	OMEGA AIR	ORION	OMEGA AIR	ORION	OMEGA AIR	ORION	OMEGA AIR
DSF 75		OOR 75 DSF/P AI	LSF 75	OOR 75 LSF/R AI	MSF 75	OOR 75 MSF/S AI	KSF 75	OOR 75 KSF/A AI
DSF 150		OOR 150 DSF/P AI	LSF 150	OOR 150 LSF/R AI	MSF 150	OOR 150 MSF/S AI	KSF 150	OOR 150 KSF/A AI
DSF 200		OOR 200 DSF/P AI	LSF 200	OOR 200 LSF/R AI	MSF 200	OOR 200 MSF/S AI	KSF 200	OOR 200 KSF/A AI
DSF 250		OOR 250 DSF/P AI	LSF 250	OOR 250 LSF/R AI	MSF 250	OOR 250 MSF/S AI	KSF 250	OOR 250 KSF/A AI
DSF 400		OOR 400 DSF/P AI	LSF 400	OOR 400 LSF/R AI	MSF 400	OOR 400 MSF/S AI	KSF 400	OOR 400 KSF/A AI
DSF 700		OOR 700 DSF/P AI	LSF 700	OOR 700 LSF/R AI	MSF 700	OOR 700 MSF/S AI	KSF 700	OOR 700 KSF/A AI
DSF 1000		OOR 1000 DSF/P AI	LSF 1000	OOR 1000 LSF/R AI	MSF 1000	OOR 1000 MSF/S AI	KSF 1000	OOR 1000 KSF/A AI
DSF 1300		OOR 1300 DSF/P AI	LSF 1300	OOR 1300 LSF/R AI	MSF 1300	OOR 1300 MSF/S AI	KSF 1300	OOR 1300 KSF/A AI
DSF 2000		OOR 2000 DSF/P AI	LSF 2000	OOR 2000 LSF/R AI	MSF 2000	OOR 2000 MSF/S AI	KSF 2000	OOR 2000 KSF/A AI

* Valid if "DSF" filter cartridge is installed upstream.